




seedtone

**Remo Bathroom
Heater Series**

Bathroom Heater With Cool Air Fan, Exhaust Fan
LED Light and Air Blow Heater



Product Warranty:

Bathroom Heater: 3 Years Free Replacement
Towel Warmer Rack: 2 Years Free Replacement
Email: info@seedstone.com

Products

BATHROOM HEATERS



XD-YB-XX-01

Unit Size:300*300*130mm
 Cut Out Size: 280*280mm



XD-YB-XX-02

Unit Size:600*300*90mm
 Cut Out Size: 605*305mm



XD-YB-XX-03

Unit Size:600*300*90mm
 Cut Out Size: 605*305mm



XD-YB-XX-04

Unit Size:600*300*90mm
 Cut Out Size:605*305mm



XD-YB-XX-05

Unit Size:600*300*120mm
 Cut Out Size: 605*305mm



XD-YB-XX-06

Unit Size:600*300*120mm
 Cut Out Size: 605*305mm



XD-YB-XX-07

Unit Size:600*300*90mm
 Cut Out Size:605*305mm



XD-YB-XX-06

Size: 755x455x26mm




XD-YB-XX-07

Size: 755x455x26mm

Seedtone Intelligent Bathroom Heater

XD-YB-XX-01



Color: White

Product Material: PC+PP

Ingress Protection Rating: IPX2

LED Lighting Power: 10W

Voltage/Frequency: 220V~/50Hz

PTC Heating Power: 2000W

Exhaust Volume: 100m³/h

Applicable Area: 3~6m³

Cutout Size : 280×280mm

Accessories	Ventilation Duct	○
	Accessory Kit	○
	Remote Switch ^①	○
	Instruction Manual ^②	○
	Conversion Frame	×
	Spacer	×

*Note:

Remote Switch^①: Includes two M4 × 20 screws.

Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Ventilation Duct(6.5m)



**In-Home
Warranty**



IPX-2



**PTC Ceramic
Heating**



**Plastic
Sealed Motor**



**High
Extraction**




**Slimline
Fitting**



Mode:XD-YB-XX-01	Finish/Colours:PC、PP/White
Airflow Extraction(m ³ /h) :100	Heat Air Blow (m ³ /h) :120
Watts:2000W	LED Light Watts:10W
Minimum Ceiling Height (mm) :2300	Ducted: Yes
Clearance Required Above Unit(mm) :18	Volts:220V
Cutout Size (mm) :280x280	Dimensions (mm) :300x300x130
Remote Operation: Yes	SAA Certificate approved: Yes
Water Resistant. IPX2	Hardwired: No
Decibels:52dB(A)	Lumens : ≥500Lm

Seedtone Intelligent Bathroom Heater XD-YB-XX-02



Color: White
 Product Material: PC+PP
 Ingress Protection Rating: IPX2
 LED Lighting Power: 18W
 Voltage/Frequency: 220V~/50Hz
 PTC Heating Power: 2400W
 Exhaust Volume: 150m³/h
 Applicable Area: 5~9m³
 Cutout Size : 605×305mm

Accessories	Ventilation Duct	<input type="checkbox"/>
	Accessory Kit	<input type="checkbox"/>
	Remote Switch ^①	<input type="checkbox"/>
	Instruction Manual ^②	<input type="checkbox"/>
	Conversion Frame	<input type="checkbox"/>
	Spacer	<input type="checkbox"/>

*Note:
 Remote Switch^①: Includes two M4 × 20 screws.
 Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Conversion Frame



Ventilation Duct(6.5m)



In-Home Warranty



IPX-2



PTC Ceramic Heating



Plastic Sealed Motor



High Extraction




Slimline Fitting



Mode:XD-YB-XX -02	Finish/Colours:PC、PP/White
Airflow Extraction(m ³ /h) :150	Heat Air Blow (m3/h) :150
Watts:2400W	LED Light Watts:18W
Minimum Ceiling Height (mm) :2300	Ducted: Yes
Clearance Required Above Unit(mm) :18	Volts:220V
Cutout Size (mm) :605x305	Dimensions (mm) :600x300x90
Remote Operation: Yes	SAA Certificate approved: Yes
Water Resistant. IPX2	Hardwired: No
Decibels:52dB(A)	Lumens : ≥1000Lm

Seedtone Intelligent Bathroom Heater

XD-YB-XX-03



Color: White
 Product Material: PC+PP
 Ingress Protection Rating: IPX2
 LED Lighting Power: 18W
 Voltage/Frequency: 220V~/50Hz
 PTC Heating Power: 2400W
 Exhaust Volume: 150m³/h
 Applicable Area: 5~9m³
 Cutout Size : 605×305mm

Accessories	Ventilation Duct	<input type="checkbox"/>
	Accessory Kit	<input type="checkbox"/>
	Remote Switch ^①	<input type="checkbox"/>
	Instruction Manual ^②	<input type="checkbox"/>
	Conversion Frame	<input type="checkbox"/>
	Spacer	<input type="checkbox"/>

*Note:
 Remote Switch^①: Includes two M4 × 20 screws.
 Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Conversion Frame



Ventilation Duct(6.5m)



XX-Home Warranty



IPX-2



PTC Ceramic Heating



Plastic Sealed Motor



High Extraction




Slimline Fitting



Mode:XD-YB-XX-03	Finish/Colours:PC、PP/White
Airflow Extraction(m3/h) :150	Heat Air Blow (m3/h) :150
Watts:2400W	LED Light Watts:15W
Minimum Ceiling Height (mm) :2300	Ducted: Yes
Clearance Required Above Unit(mm) :18	Volts:220V
Cutout Size (mm) :605x305	Dimensions (mm) :600x300x90
Remote Operation: Yes	SAA Certificate approved: Yes
Water Resistant. IPX2	Hardwired: No
Decibels:52dB(A)	Lumens : ≥ 1000 Lm

Seedtone Intelligent Bathroom Heater

XD-YB-XX-04



Color: White

Product Material: PC+PP

Ingress Protection Rating: IPX2

LED Lighting Power: 18W

Voltage/Frequency: 220V~/50Hz

PTC Heating Power: 2400W

Exhaust Volume: 150m³/h

Applicable Area: 5~9m³

Cutout Size : 605 × 305mm

Accessories	Ventilation Duct	<input type="checkbox"/>
	Accessory Kit	<input type="checkbox"/>
	Remote Switch ^①	<input type="checkbox"/>
	Instruction Manual ^②	<input type="checkbox"/>
	Conversion Frame	<input type="checkbox"/>
	Spacer	<input type="checkbox"/>

*Note:

Remote Switch^①: Includes two M4 × 20 screws.

Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Conversion Frame



Ventilation Duct(6.5m)



In-Home Warranty



IPX-2



PTC Ceramic Heating



120° Swinging Function



Plastic Sealed Motor



High Extraction



Negative Ion Air Purification




Slimline Fitting



Mode:XD- YB- XX-04	Finish/Colours:PC、 PP/White
Airflow Extraction(m ³ /h) :150	Heat Air Blow (m ³ /h) :150
Watts:2400W	LED Light Watts:15W
Minimum Ceiling Height (mm) :2300	Ducted: Yes
Clearance Required Above Unit(mm) :18	Volts:220V
Cutout Size (mm) :605x305	Dimensions (mm) :600x300x90
Remote Operation: Yes	SAA Certificate approved: Yes
Water Resistant. IPX2	Hardwired: No
Decibels:52dB(A)	Lumens : ≥1000Lm

Seedtone Intelligent Bathroom Heater

XD-YB-XX-05



Color: White

Product Material: PC+PP

Ingress Protection Rating: IPX2

LED Lighting Power: 18W

Voltage/Frequency: 220V~/50Hz

PTC Heating Power: 2500W

Exhaust Volume: 150m³/h

Applicable Area: 5~9m³

Cutout Size : 605×305mm

Accessories	Ventilation Duct	<input type="checkbox"/>
	Accessory Kit	<input type="checkbox"/>
	Remote Switch ^①	<input type="checkbox"/>
	Instruction Manual ^②	<input type="checkbox"/>
	Conversion Frame	<input type="checkbox"/>
	Spacer	<input type="checkbox"/>

*Note:

Remote Switch^①: Includes two M4 × 20 screws.

Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Conversion Frame



Ventilation Duct(6.5m)



In-Home Warranty



IPX-2



PTC Ceramic Heating



120° Swinging Function



Plastic Sealed Motor



High Extraction



Negative Ion Air Purification




Slimline Fitting



Mode:XD- YB-XX -05	Finish/Colours:PC、 PP/White
Airflow Extraction(m ³ /h) :150	Heat Air Blow (m ³ /h) :150
Watts:2500W	LED Light Watts:18W
Minimum Ceiling Height (mm) :2300	Ducted: Yes
Clearance Required Above Unit(mm) :18	Volts:220V
Cutout Size (mm) :605x305	Dimensions (mm) :600x300x120
Remote Operation: Yes	SAA Certificate approved: Yes
Water Resistant. IPX2	Hardwired: No
Decibels:52dB(A)	Lumens : ≥800Lm

Seedtone Intelligent Bathroom Heater

XD-YB-XX-06



Color: White

Product Material: PC+PP

Ingress Protection Rating: IPX2

LED Lighting Power: 18W

Voltage/Frequency: 220V~240V/50Hz

PTC Heating Power:2440W

Exhaust Volume: 150m³/h

Applicable Area: 5-9m³

Dimensions (mm): 600x300x120

Accessories	Ventilation Duct	<input type="checkbox"/>
	Accessory Kit	<input type="checkbox"/>
	Remote Switch ^①	<input type="checkbox"/>
	Instruction Manual ^②	<input type="checkbox"/>
	Conversion Frame	<input type="checkbox"/>
	Spacer	<input type="checkbox"/>

*Note:

Remote Switch^①: Includes two M4 × 20 screws.

Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Conversion Frame



Ventilation Duct(6.5m)



In-Home Warranty



IPX-2



PTC Ceramic Heating



Plastic Sealed Motor



High Extraction




Slimline Fitting



Model: XD-YB-XX-06	Finish/Colour: White
Airflow Extraction(m ³ /h): 150	Heat Air Blow(m ³ /h): 150
Watts: 2498W	LED Light Watts: 18W
Minimum Ceiling Height (mm): 2300	Ducted: Yes
Clearance Required Above Unit(mm): 180	Motor: Double Plastic Sealed Motor
Cutout Size (mm): 605x305	Dimensions (mm): 600x300x120
Remote Operation: Yes	SAA Certificate approved: Yes
Decibels: 52dB(A)	Hardwired: No
Water Resistant: IPX2	Lumens: ≥1000Lm
Weight:5.5KG	Volts: 220V-240V

Seedtone Intelligent Bathroom Heater

XD-YB-XX-07



Color: White

Product Material: PC+PP

Ingress Protection Rating: IPX2

LED Lighting Power: 18W

Voltage/Frequency: 220V~240V/50Hz

PTC Heating Power: 2440W

Exhaust Volume: 150m³/h

Applicable Area: 5-9m³

Dimensions (mm): 600x300x90

Accessories	Ventilation Duct	<input type="checkbox"/>
	Accessory Kit	<input type="checkbox"/>
	Remote Switch ^①	<input type="checkbox"/>
	Instruction Manual ^②	<input type="checkbox"/>
	Conversion Frame	<input type="checkbox"/>
	Spacer	<input type="checkbox"/>

*Note:

Remote Switch^①: Includes two M4 × 20 screws.

Instruction Manual^②: Including warranty card and certificate of conformity.



ACCESSORIES



Remote Switch



Conversion Frame



Ventilation Duct(6.5m)



In-Home Warranty



IPX-2



PTC Ceramic Heating



Plastic Sealed Motor



High Extraction



Slimline Fitting



Model: XD-YB-XX-07	Finish/Colour: White
Airflow Extraction(m ³ /h): 150	Heat Air Blow(m ³ /h): 150
Watts: 2498W	LED Light Watts: 18W
Minimum Ceiling Height (mm): 2300	Ducted: Yes
Clearance Required Above Unit(mm): 180	Motor: Double Plastic Sealed Motor
Cutout Size (mm): 605x305	Dimensions (mm): 600x300x90
Remote Operation: Yes	SAA Certificate approved: Yes
Decibels: 52dB(A)	Hardwired: No
Water Resistant: IPX2	Lumens: ≥1000Lm
Weight:4.4kg	Volts: 220V-240V

Towel Warmer Rack XD-MJJ-XX-01BU



Color: Blue

Material: Nano Explosion-proof Tempered Glass

Drying Principle: Graphene Heating

Ingress Protection Rating: IPX4

Voltage/Frequency: 220V/50Hz

Power:80W

Size: 755x455x26mm

Larger Size: 1020x483x26mm

Product Highlights



In-Home Warranty



IPX4 Waterproof and Leakage Proof



Touch One-Button Start



Nano Explosion-proof Glass Panel



Multifunctional Timer Switch



Model: XD-MJJ-XX-01BU	Ingress Protection Rating: IPX4
Color: Blue	Voltage/Frequency: 220V/50H
Material: Nano Explosion-proof Tempered Glass	Power: 80W
Drying Principle: Graphene Heating	Size: 755x455x26mm

Towel Warmer Rack XD-MJJ-XX-01BK



Color: Black

Material: Nano Explosion-proof Tempered Glass

Drying Principle: Graphene Heating

Ingress Protection Rating: IPX4

Voltage/Frequency: 220V/50Hz

Power:80W

Size: 755x455x26mm

Larger Size: 1020x483x26mm

Product Highlights



In-Home Warranty



IPX4 Waterproof and Leakage Proof



Touch One-Button Start



Nano Explosion-proof Glass Panel



Multifunctional Timer Switch



Model: XD-MJJ-XX-01BK	Ingress Protection Rating: IPX4
Color: Black	Voltage/Frequency: 220V/50H
Material: Nano Explosion-proof Tempered Glass	Power: 80W
Drying Principle: Graphene Heating	Size: 755x455x26mm